










sale_gift	
	id: int UNSIGNED
	title: varchar(255)
	code: varchar(255)
	details: varchar(255)
	gate_cycle: tinyint(1)
	gate_price: longtext
	gate_amount: smallint UNSIGNED
	gift_amount: smallint UNSIGNED
	gift_products: longtext
	gift_bonus: longtext
	gift_coupon: longtext
	gift_text: varchar(255)
	product_markets: longtext
	product_brands: longtext
	product_categories: longtext
	product_sets: longtext
	product_excepts: longtext
	member_tags: longtext
	roles: longtext
	shown_at: datetime
	hidden_at: datetime
	start_at: datetime
	end_at: datetime
	apply_days: longtext
	apply_interval: int UNSIGNED
	discount_special: varchar(255)
	calculate_again: smallint
	system_page: tinyint(1)
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

web_data	
	id: varchar(64)
	guard: varchar(16)
	website_name: varchar(255)
	system_language: varchar(255)
	system_email: varchar(255)
	system_mobile: varchar(255)
	system_url: varchar(255)
	system_logo: longtext
	company: varchar(255)
	contact: varchar(255)
	social: longtext
	seo: varchar(255)
	options: varchar(255)
	information: varchar(255)
	offline_text: varchar(255)
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

article_column	
	id: varchar(255)
	uri: varchar(255)
	title: varchar(255)
	details: varchar(255)
	start_at: datetime
	end_at: datetime
	seo: varchar(255)
	sort: int UNSIGNED
	top: tinyint(1)
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp
	deleted_at: timestamp

firewall	
	id: int UNSIGNED
	title: varchar(255)
	description: varchar(255)
	guard: varchar(16)
	ip: text
	user_agent: text
	rule: tinyint(1)
	start_at: datetime
	end_at: datetime
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

id: int UNSIGNED
code: varchar(4)
title: varchar(255)


site_dashboard	
	id: int UNSIGNED
	guard: varchar(16)
	title: varchar(255)
	presenter: varchar(255)
	position: longtext
	options: longtext
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp


bonus_queue	
	id: int UNSIGNED
	event_id: varchar(255)
	source_id: varchar(255)
	source_type: varchar(255)
	member_id: varchar(255)
	point: int UNSIGNED
	remark: text
	dispatch_at: datetime
	created_at: timestamp

sale_discount	
	id: int UNSIGNED

coupon_config	
	id: varchar(255)
	title: varchar(255)

order_form	
	id: varchar(255)
	serial: varchar(255)





sale_addition
id: int UNSIGNED

cart_config
id: varchar(255)

order_delivery
id: int UNSIGNED

notify_email
id: int UNSIGNED

coupon_event
 id: varchar(255)

sale_level
 id: int UNSIGNED

notify_sms
 id: int UNSIGNED

financial_record
 id: int UNSIGNED

short_link	
	id: varchar(255)
	code: varchar(255)

product_favourite	
	member_id: varchar(255)





sale_addition	
	id: int UNSIGNED
	title: varchar(255)
	code: varchar(255)
	details: varchar(255)
	gate_cycle: tinyint(1)
	gate_price: longtext
	gate_amount: smallint UNSIGNED
	product_markets: longtext
	product_brands: longtext
	product_categories: longtext
	product_sets: longtext
	product_excepts: longtext
	additions: longtext
	member_tags: longtext
	roles: longtext
	start_at: datetime
	end_at: datetime
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

cart_config	
	id: varchar(255)
	browse_history: int UNSIGNED
	cart_temporary: int UNSIGNED
	track_list: int UNSIGNED
	shipping_notify: int UNSIGNED
	order_history: int UNSIGNED
	auto_cancel: int UNSIGNED
	cancel_order: int
	auto_complete: int UNSIGNED
	auto_arrived: int UNSIGNED
	return_limit: int UNSIGNED
	rank_limit: int UNSIGNED
	product_amount_limit: int UNSIGNED
	less_quantity: int UNSIGNED
	abandon_block_gate: int UNSIGNED
	level_effectiveness: int UNSIGNED
	skip_pick_relation: longtext
	skip_pick_auto: tinyint(1)
	information: varchar(255)
	created_at: timestamp
	updated_at: timestamp

order_delivery	
	id: int UNSIGNED
	order_id: varchar(255)
	order_type: varchar(255)
	serial: varchar(255)
	delivery_code: varchar(255)
	title: varchar(255)
	currency: varchar(255)
	price: double(8, 2)
	tax: double(8, 2)
	cash: double(8, 2)
	measuring: longtext
	details: longtext
	delivery_service: varchar(255)
	express_number: varchar(255)
	shipped_at: datetime
	arrived_at: datetime
	status: longtext
	created_at: timestamp
	updated_at: timestamp
	deleted_at: timestamp

notify_email	
	id: int UNSIGNED
	code: varchar(255)
	title: varchar(255)
	service_id: int
	notifiable: tinyint(1)
	receivers: longtext
	custom_subject: varchar(255)
	custom_preheader: varchar(255)
	custom_editor: varchar(255)
	custom_mailable: varchar(255)
	admin_subject: varchar(255)
	admin_preheader: varchar(255)
	admin_editor: varchar(255)
	admin_mailable: varchar(255)
	replacements: varchar(255)
	queueable: tinyint(1)
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

cart_delivery	
	id: int UNSIGNED
	code: varchar(255)
	title: varchar(255)
	details: varchar(255)
	limits: longtext
	locations: longtext
	delivery_types: longtext
	delivery_service: longtext
	options: longtext
	start_at: datetime
	end_at: datetime
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

admin_menu	
	id: varchar(64)
	parent_id: varchar(64)
	title: varchar(255)
	uri: varchar(255)
	controller: varchar(255)
	model: varchar(255)
	link: varchar(255)
	icon: varchar(255)
	permission_key: varchar(128)
	guide: text
	options: longtext
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

article_team	
	id: varchar(255)
	uri: varchar(255)
	title: varchar(255)
	position: varchar(255)
	details: varchar(255)
	pic: longtext
	start_at: datetime
	end_at: datetime
	seo: varchar(255)
	sort: int UNSIGNED
	top: tinyint(1)
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp
	deleted_at: timestamp

receipt_number	
	id: int UNSIGNED
	start_at: date
	end_at: date
	prefix: varchar(255)
	first_number: varchar(255)
	latest_number: varchar(255)
	next_number: varchar(255)
	alert_limit: int
	made_at: timestamp
	draw_at: datetime
	draw_list: longtext
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

inbox	
	id: varchar
	category_id
	parent_id
	serial: varc
	subject: va
	content: lo
	details: lo
	remarks: lo
	ip: varchar
	inbox_stat
	starred: ti
	created_at
	updated_at
	deleted_at

x_category	
	char(255)
	varchar(255)
	varchar(255)
	ble: tinyint(1)
	ngtext
	s: longtext
	le: tinyint(1)
	int UNSIGNED
	tinyint(1)
	d_at: timestamp
	ed_at: timestamp

advertising_template	
	id: int UNSIGNED
	title: varchar(255)
	code: varchar(255)
	admin_view: varchar(255)
	web_view: varchar(255)
	template_group: varchar(255)
	options: longtext
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

search_filter	
	id: varchar(255)
	category_id: varchar(255)
	owner_type: varchar(255)
	owner_id: varchar(255)
	title: longtext
	filters: longtext
	public: tinyint(1)
	visitor_roles: longtext
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

search_category	
	id: varchar(255)
	guard: varchar(255)
	title: longtext
	module: varchar(255)
	repository: varchar(255)
	filter_view: varchar(255)
	filter_name: varchar(255)
	sort: int UNSIGNED
	active: tinyint(1)
	created_at: timestamp
	updated_at: timestamp

sms_receiver	
	id: int UNSIGNED
	history_id: int UNSIGNED
	mobile: varchar(255)
	name: varchar(255)
	sms_status: varchar(255)
	opened_at: timestamp
	clicked_at: timestamp
	created_at: timestamp

sms_hist	
	id: int UNSIGN
	subject: varc
	content: long
	coupon_id: va
	objects: long
	service_id: int
	schedule_at: c
	sent_at: timest
	created_at: tim
	updated_at: ti

epaper_receiver	
	id: int UNSIGNED
	history_id: int UNSIGNED
	email: varchar(255)
	name: varchar(255)
	epaper_status: varchar(255)
	opened_at: timestamp
	clicked_at: timestamp


epaper_history	
	id: int UNSIGNED
	subject: varchar(255)
	editor: longtext
	coupon_id: varchar(255)
	objects: longtext
	schedule_at: datetime
	sent_at: timestamp
	created_at: timestamp





site_parameter_item	
	id: int UNSIGNED
	group_id: int UNSIGNED
	value: varchar(255)
	label: varchar(255)
	details: varchar(255)
	options: longtext
	sort: int UNSIGNED
	active: tinyint(1)

site_parameter_group	
	id: int UNSIGNED
	code: varchar(255)
	title: varchar(255)
	category: varchar(255)
	options: longtext
	sort: int UNSIGNED
	active: tinyint(1)
	editable: tinyint(1)

login_log	
	guard: varchar(16)
	username: varchar(255)
	ip: varchar(45)
	remark: text
	result: tinyint(1)
	created_at: timestamp

pa	
	ic
	u
	u
	p
	ip
	c





options: longtext
sort: int UNSIGNED
active: tinyint(1)
created_at: timestamp
updated_at: timestamp

address: longtext
default: tinyint(1)
created_at: timestamp
updated_at: timestamp

rubbish_repository: varchar(255)
subject_column: varchar(255)
admin_id: varchar(255)
created_at: timestamp

title: varchar(255)
options: longtext
sort: int UNSIGNED
active: tinyint(1)

reserved_a
available_
created_at

migrations

id: int UNSIGNED
migration: varchar(255)
batch: int

inbox_serial

id: int UNSIGNED
date: date
serial: int UNSIGNED

order_serial

type: varchar(255)
date: date
serial: int UNSIGNED

financial_serial

type: varchar(255)
date: date
serial: int UNSIGNED

reserved_at: int UNSIGNED
available_at: int UNSIGNED
created_at: int UNSIGNED

editable: tinyint(1)
created_at: timestamp
updated_at: timestamp

active: tinyint(1)
created_at: timestamp
updated_at: timestamp

active: tinyint(1)
created_at: timestamp
updated_at: timestamp

editable: tinyint(1)
created_at: timestamp
updated_at: timestamp

epaper_status: varchar(255)
opened_at: timestamp
clicked_at: timestamp
created_at: timestamp

schedule_at: datetime
sent_at: timestamp
created_at: timestamp
updated_at: timestamp

options: longtext
sort: int UNSIGNED
active: tinyint(1)
editable: tinyint(1)

sort: int UNSIGNED
active: tinyint(1)
editable: tinyint(1)

result: tinyint(1)
created_at: timestamp

ip
c

ip: varchar(45)
created_at: timestamp

exception: longtext
failed_at: timestamp

options: longtext
sort: int UNSIGNED
active: tinyint(1)

sort: int UNSIGNED
active: tinyint(1)

ip: varchar(45)
created_at: timestamp

deleted_at timestamp

created_at timestamp